Revision: 07.05.2014

6306987 - BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

DPD Declaration

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.08.2014

Version number 7

1 Identification of the substance/mixture and of the company/undertaking

- . 1.1 Product identifier
- . Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*
- . 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- . Application of the substance / the mixture Adhesive Sealant
- . 1.3 Details of the supplier of the safety data sheet
- . Manufacturer/Supplier:

Bison International
Dr.A.F.Philipsstraat 9
NL-4462 EW Goes
PO Box 160
NL-4460 AD Goes
tel. +31 88 3235700
fax. +31 88 3235800

e mail: msds@bison.boltongroup.nl

- . Further information obtainable from: Bison QESH
- . 1.4 Emergency telephone number: +31 88 3235700

2 Hazards identification

- . 2.1 Classification of the substance or mixture
- . Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- . Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version

. Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- . 2.2 Label elements
- . Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

. Safety phrases:

24/25 Avoid contact with skin and eyes.51 Use only in well-ventilated areas.

- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.

(Contd. on page 2)

GB

www.bison.net 1/12



Safety data sheet

DPD Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 07.05.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 1)

3 Composition/information on ingredients

- . 3.2 Mixtures
- . Description: Sealant
- . Dangerous components: Void
- . Additional information:

For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- . 4.1 Description of first aid measures
- . General information: No special measures required.
- . After inhalation: Supply fresh air; consult doctor in case of complaints.
- . After skin contact: Generally the product does not irritate the skin.
- . After eye contact: Rinse opened eye for several minutes under running water.
- . After swallowing: If symptoms persist consult doctor.
- . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

. 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

6 Accidental release measures

- . 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- . 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

. 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

. 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

- . Information about fire and explosion protection: No special measures required.
- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 3)

CP CP

www.bison.net 2/12



Safety data sheet

DPD Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 07.05.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 2)

- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions: None.
- . 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

. Additional information about design of technical facilities: No further data; see item 7.

- . 8.1 Control parameters
- . Ingredients with limit values that require monitoring at the workplace:

 The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- . Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- . Respiratory protection: Not required.
- . Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

. Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection: Goggles recommended during refilling

9 Physical and chemical properties

- . 9.1 Information on basic physical and chemical properties
- . General Information

. Appearance:

Form: Fluid

Colour: According to product specification

. Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 2230 °C

(Contd. on page 4)

- GB

www.bison.net 3/12



Safety data sheet

DPD Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 07.05.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 3)

Flash point: Not applicable.Flammability (solid, gaseous): Not applicable.

. Ignition temperature: > 370 °C

. Decomposition temperature: Not determined.

. Self-igniting: Product is not selfigniting.

. Danger of explosion: Product does not present an explosion hazard.

Not determined.

. Explosion limits:

. Evaporation rate

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not determined.

0.97 g/cm³
Relative density
Not determined.

Vapour density
Not determined.

. Solubility in / Miscibility with

water: Not miscible or difficult to mix.

. Partition coefficient (n-octanol/

water):
Not determined.

. Viscosity:

Dynamic at 20 °C: 60000 mPas
Kinematic: Not determined.

Solids content: 73.0 %

. 9.2 Other information No further relevant information available.

10 Stability and reactivity

- . 10.1 Reactivity
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- . 11.1 Information on toxicological effects
- . Acute toxicity:
- . Primary irritant effect:
- . on the skin: No irritant effect.
- . on the eye: No irritating effect.
- . Sensitization: No sensitizing effects known.
- . Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Contd. on page 5)

- GB

www.bison.net 4/12



Safety data sheet

DPD Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 07.05.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 4)

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Additional ecological information:
- . General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- . 12.5 Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation Smaller quantities can be disposed of with household waste.
- . Uncleaned packaging:
- . Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14 Transport information

. 14.1 UN-Number

. ADR, ADN, IMDG, IATA Void

. 14.2 UN proper shipping name

. ADR, ADN, IMDG, IATA Void

. 14.3 Transport hazard class(es)

. ADR, ADN, IMDG, IATA

. Class Void

. 14.4 Packing group

. ADR, IMDG, IATA Void

. 14.5 Environmental hazards:

. Marine pollutant: No

. 14.6 Special precautions for user Not applicable.

. 14.7 Transport in bulk according to

Annex II of MARPOL73/78 and the IBC

Code Not applicable.

. Transport/Additional information:

. IMDG

(Contd. on page 6)

GB

www.bison.net 5/12



Safety data sheet

DPD Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 07.05.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 5)

. Remarks:

Under certain conditions substances in Class 3 (flammable liquids) can be classified in

packinggroup III.

See IMDG, Part 2, Chapter 2.3, Paragraph

2.3.2.2

15 Regulatory information

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

. Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

. Safety phrases:

24/25 Avoid contact with skin and eyes.

51 Use only in well-ventilated areas.

. 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- . Department issuing MSDS: QESH Department
- . Contact: Reach coördinator
- . * Data compared to the previous version altered.

GB

www.bison.net 6/12



Revision: 03.07.2014

CLP Declaration

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.08.2014

Version number 7

1 Identification of the substance/mixture and of the company/undertaking

- . 1.1 Product identifier
- . Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*
- . 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- . Application of the substance / the mixture Adhesive
- . 1.3 Details of the supplier of the safety data sheet
- . Manufacturer/Supplier:

Sealant

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800

e mail: msds@bison.boltongroup.nl

- . Further information obtainable from: Bison QESH
- . 1.4 Emergency telephone number: +31 88 3235700

2 Hazards identification

- . 2.1 Classification of the substance or mixture
- . Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008 Void
- . Hazard pictograms Void
- . Signal word Void
- . Hazard statements Void
- . Additional information:

Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Safety data sheet available on request.

- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.

3 Composition/information on ingredients

- . 3.2 Mixtures
- . Description: Sealant
- . Dangerous components: Void

4 First aid measures

- . 4.1 Description of first aid measures
- . General information: No special measures required.
- . After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

GB-G

www.bison.net 7/12



Safety data sheet

CLP Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 03.07.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 1)

- . After skin contact: Generally the product does not irritate the skin.
- . After eye contact: Rinse opened eye for several minutes under running water.
- . After swallowing: If symptoms persist consult doctor.
- . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

. 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- . 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

. 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

. 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

- . Information about fire and explosion protection: No special measures required.
- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.
- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions: None.
- . 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

. Additional information about design of technical facilities:
No further data; see item 7.

. 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

GB-G

www.bison.net 8/12



Safety data sheet

CLP Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 03.07.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 2)

- . Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- . Respiratory protection: Not required.
- . Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation $\frac{1}{2}$

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection: Goggles recommended during refilling

9 Physical and chemical properties

- . 9.1 Information on basic physical and chemical properties
- . General Information

. Appearance:

Form: Fluid

Colour: According to product specification

. Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 2230 °C

Flash point: Not applicable.Flammability (solid, gaseous): Not applicable.

. Ignition temperature: > 370 °C

. Decomposition temperature: Not determined.

. **Self-igniting:** Product is not selfigniting.

. Danger of explosion: Product does not present an explosion hazard.

. Explosion limits:

Lower: Not determined.

(Contd. on page 4)

GB-G

www.bison.net 9/12



Safety data sheet

CLP Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 03.07.2014

Not determined.

Not determined.

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 3)

Vapour pressure: Not determined.
 Density at 20 °C: 0,97 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

. Solubility in / Miscibility with

water: Not miscible or difficult to mix.

. Partition coefficient (n-octanol/

water): Not determined.

. Viscosity:

Upper:

. Evaporation rate

Dynamic at 20 °C: 60000 mPas Kinematic: Not determined. Solids content: 73,0 %

. 9.2 Other information No further relevant information available.

10 Stability and reactivity

. 10.1 Reactivity

. 10.2 Chemical stability

. Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- . 11.1 Information on toxicological effects
- . Acute toxicity:
- . Primary irritant effect:
- . on the skin: No irritant effect.
- . on the eye: No irritating effect.
- . Sensitization: No sensitizing effects known.
- . Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5)

GB-G

www.bison.net 10/12



Safety data sheet

CLP Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 03.07.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 4)

- . Additional ecological information:
- . General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- . 12.5 Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation Smaller quantities can be disposed of with household waste.
- . Uncleaned packaging:
- . Recommendation:

Disposal must be made according to official regulations. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14 Transport information

- . 14.1 UN-Number
- . ADR, ADN, IMDG, IATA Void
- . 14.2 UN proper shipping name
- . ADR, ADN, IMDG, IATA Void
- . 14.3 Transport hazard class(es)
- . ADR, ADN, IMDG, IATA
- . Class Void
- . 14.4 Packing group
- . ADR, IMDG, IATA Void
- . 14.5 Environmental hazards:
- . Marine pollutant: No
- . 14.6 Special precautions for user Not applicable.
- . 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Code Not applicable.

- . Transport/Additional information:
- . IMDG

. Remarks: Under certain conditions substances in Class

3 (flammable liquids) can be classified in

packinggroup III.

See IMDG, Part 2, Chapter 2.3, Paragraph

2.3.2.2

. UN "Model Regulation":

15 Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Labelling according to Regulation (EC) No 1272/2008 Void
- . Hazard pictograms Void
- . Signal word Void

(Contd. on page 6)

GB-G

www.bison.net 11/12



Safety data sheet

CLP Declaration

according to 1907/2006/EC, Article 31

Printing date 06.08.2014 Version number 7 Revision: 03.07.2014

Trade name: BISON SILICONE UNIVERSAL TRANS CRT 280ML*24 L133*

(Contd. of page 5)

- . Hazard statements Void
- . 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- . Department issuing MSDS: QESH Department
- . Contact: Reach coördinator
- . * Data compared to the previous version altered.

GB-G

www.bison.net 12/12